

RICHMOND MUNICIPALITY

ADDENDUM



**QUOTE NUMBER: RICH:72/2025/2026 -
SUPPLY, INSTALLATION AND
COMMISSIONING OF LED LIGHTING AT THE
MUNICIPAL BUILDINGS AS PER DETAILED
SPECIFICATION.**

ATTENTION ALL BIDDERS:

THIS ADDENDUM COMPRISES OF 2 PAGES.

**PLEASE TAKE NOTE OF THE BELOW
ADDITIONAL INFORMATION ON THE
SCOPE OF WORK AND CLOSING DATE OF
THE BID:**

- 1. (3.1.2 OUTDOOR DISTRIBUTION BOARD
SUPPLY UPGRADE)**
 - IN ADDITION TO THE ORIGINAL SPECIFICATION ON THIS POINT, THE OUTDOOR DISTRIBUTION BOARD LID MUST BE FIXED TO ALLOW FOR SMOOTH OPENING AND CLOSING.
- 2. (4. TECHNICAL SPECIFICATIONS (MINIMUM
REQUIREMENTS))**
 - THE SPECIFICATIONS FOR BULKHEAD LIGHT IS AS FOLLOWS:

15W LED, 4000K COOL WHITE, 1500 LUMENS, IP65 RATED (FULLY WEATHERPROOF, IK 08 IMPACT RESISTANT, 230 V AC INPUT, POLYCARBONATE BODY AND DIFFUSER.

3. EXTENSION OF CLOSING DATE:

- THE CLOSING DATE IS EXTENDED TO 30 MARCH 2026 @ 10H00AM

ALL OTHER CONDITIONS OF THE BID REMAINS THE SAME.

**DOCUMENT CAN BE
DOWNLOADED AT THE MUNICIPAL WEBSITE:**

WWW.RICHMOND.GOV.ZA

**NB: FACSMAIL, ELECTRONIC
AND LATE BIDS WILL NOT BE
ACCEPTED ONLY HAND
DELIVERD IN TENDER BOX AT
57 SHEPSTONE STREET
RICHMOND**

3780

WILL BE CONSIDERED.